



CYCLONE 30

FOR BLASTING SMALL PROJECTS

The Quill Falcon Cyclone 30 has been engineered to be lighter and more manoeuvrable than a Quill Falcon 60.

It has been specifically designed to hold one full bag of garnet and has a slightly larger cabinet making it easier to service than the smaller Quill Falcon 15. Available with ATEX wheels for those working in explosive environments or standard wheels for those watching their weight, the Quill Falcon Cyclone 30 is proving to be a cross industry favourite.

Perfect for those small fiddly jobs in confined areas and particularly good at delicate projects where the pressure can be turned right down to less than 20psi. Alternatively it can be turned up to 80psi when you want the power and performance of a larger Quill Falcon Cyclone but in a smaller package.



DIMENSIONS

Capacity:	19.5 litres
Height:	830mm
Width:	520mm
Depth:	650mm
Unladen Weight:	67.2kg
Laden Weight:	104kg (garnet)

BLAST MEDIA

Number of 25kg bags to fill vessel	
Garnet:	1 bags
Iron Silicate:	1 bags
Glass:	¾ bag

SPECIFICATIONS

Water Pressure & Flow:	Standard tap pressure & flow
Water Consumption:	40 – 80ml per minute
Grit Type:	Standard particle blast media
Grit Consumption:	0.5 – 1.1kg per minute
Grit Refill:	Up to 45 mins between refills
Air Supply:	40 – 90cfm
Air Supply Hose:	¾ inch
Blast Hose Size:	¾ inch
Blast Hose Max Length:	50m
Blasting Pressure:	20 – 80 psi

Weights and dimensions are based on current models in manufacture. Consumption rates based on average dosing settings. Water consumption taken from water used at nozzle. Up to 1 litre of water per minute will be required to keep vessel pressurised. Grit and water consumption may vary according to size of compressor, dosing valve setting, size of nozzle and type of blast media used. Falcon 30 weighed with standard (non ATEX) wheels.

For more information please call +44 (0) 1332 864664 or email sales@quillinternational.com
 Quill International Group, Castle Lane, Melbourne, Derbyshire, DE73 8JB (UK)